KYOCERA

www.kyoceradocumentsolutions.com/in

Adapt to evolving work styles with advanced MFPs



ECOSYS MA4000cifx Series
TASKalfa MA4500ci Series

Color Multifunction Product for A4 Format

Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a “Customer First” principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between “Economy” and “Ecology”, KYOCERA Document Solutions succeeds in developing document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.



Enable **paperless operations**

As teleworking grows, companies are looking to go paperless, decentralize, and downsize offices. The ECOSYS MA4000cifx and TASKalfa MA4500ci series are A4 color MFPs that cater to these work styles. Alongside quick scanning and cloud connectivity to enhance paperless workflows and productivity, it provides mobile apps for device-free operation, ensuring security and convenience in various work environments.

Compact design for any location

Maximize space

The primary unit boasts a sleek and compact design. This makes it perfect for fitting into tight spaces. Additionally, when paired with a specialized cabinet, it allows for organized storage of consumables like paper, thereby maximizing the efficiency of office space.

Multiple network connection

Connect to both wired and wireless LANs at the same time with a single unit. Utilize different networks including mission-critical and office networks and even add Wi-Fi printing capabilities for mobile convenience.

**Optional*



Outstanding Image Quality

The ECOSYS MA4000cifx and TASKalfa MA4500ci series give you incredible image quality and outstanding colors with high resolution and superior image processing.




Delivers realistic image with high resolution

By using a new manufacturing technique for capsule toner, image quality improves with vibrant colors, expanded blue shades, and accurate reproduction of human skin tones. It also reduces power consumption effectively.

Impressive quality even for repeated copies

Reduces the color difference with accurate color matching when digital copying, and also avoids quality degradation during repeated photocopying.

Stable print quality



The 1st page *The 1000th page*

Keeps the stability of color performance, no matter for the 1st page or the 1,000th or more.

Beautiful contrast



Existing model

Provides a better contrast with incredible deep blacks.

High gloss



Existing model

Performs a glossy finishing on images.

Enhanced Function for Printing, Copying and Scanning

The ECOSYS MA4000cifx and TASKalfa MA4500ci series offer a variety of features that improve your productivity. These features encompass printing, copying, scanning, and faxing, all of which work together to help you efficiently complete your business tasks.

Copy/Print

ID card copy function

The ID card copy feature now allows users to center copies on the paper, regardless of the card's left-side placement, with skew correction and centring functions.


Diverse copy functions

- Automatic monochrome/colour detection
- Duplex/intensive printing
- Blank page skipping
- Background removal

Simultaneous Connection to Multiple Interfaces

Equipped with multiple interfaces (wired LAN and USB) that can be connected simultaneously. It also supports the wireless LAN 5GHz*, preventing interference and ensuring seamless output even in cramped areas.

**Optional*




Scan

Multiple cropping

Equipped with a multi-crop function* that allows you to scan multiple documents at once by arranging them on the platen (glass surface). Receipts and business

**SD card or storage capacity are required.*



Scan up to 10 sheets at once

Autosave by page or file

When reading un-fixed size forms from DP, the device automatically detects the document size. This eliminates the need for manual input when scanning irregular-sized documents like receipts and slips, ensuring the output result matches the original size.



Margin Cut

** The second and subsequent sheets will be cropped in the*

Fax

Received faxes can be sent to various destinations, such as other fax machines, email addresses, the cloud, and Internet faxes, in addition to being stored in the fax box. By using filters, you can limit the forwarding to specific



- The fax memory receiving box
  To minimize unnecessary output like spam faxes.
- Internet fax
  Easily send faxes straight from your personal computer using the driver.



Intuitive design

The control panel features a 7-inch touch screen that is user-friendly and can be operated with a single touch. The display is designed with intuitive icons and text, making it easy to navigate and operate without any difficulty.

On the right-hand side of the control unit, you'll find the reset, stop, and start buttons in yellow, orange, and blue respectively. A LED lamp located at the bottom right of the control panel lights up to signal different events, including receiving a fax, processing memory, or encountering an error.

In addition, the fax and scan address book has the capacity to store a maximum of 200 individual addresses and 50 group addresses.



Secure Your Business

Guards against malware and prohibit the execution of unknown programs, while mitigating security risks with document information leakage prevention.

IC card authentication

IC card authentication enables users to easily monitor the multifunction device's usage history and customize access levels for individual users.

**Card Authentication Kit(B) is required.*

SIEM (Security Information and Event Management)

Logging security events and sending them to an external SIEM server via the Syslog Protocol allows for monitoring unauthorized operations, such as intrusion attempts, malware infections, and data leaks.

Secure Device Data

Information on the device is protected from unauthorized access by encrypting and overwriting any remaining data in its storage.

**Optional*

PDF Digital Signature

By adding a digital signature, you can replicate the authenticity of a traditional seal or signature on a paper document for your electronic files.

**To be enabled when SSD option is installed.*



Allowlisting

The program management feature maintains a list of allowed programs, preventing any unauthorized programs from running. This ensures that even if malware enters the device, it cannot be executed, protecting it from any malware effects.



Embrace the fresh approach to work

Streamline document workflows

Link our devices with Kyocera's cloud software, such as Kyocera Cloud Print Scan, to optimize print and scan environments. Combine with rapid print and copy speeds for a winning formula that boosts business agility.

Print instantly using the print app

KYOCERA Mobile Print (Free application for smart devices).
Print and scan effortlessly using mobile devices connected to the same network.

Seamless integration with cloud services

Kyocera Cloud Connect **optional*
Access cloud services directly from the MFP for seamless logins. The cloud enables efficient data transmission, allowing easy information sharing with remote workers or individuals at different locations.



Eco-friendly advantages


Long life design

Enhances resource conservation by using a long-life drum, reducing the need for frequent replacements and accumulation of discarded components.



Eco-friendly Packaging


Through the use of environmentally friendly materials that are easily recyclable, we have improved the cushioning and packaging durability of both the main unit and toner using innovative techniques.



Pulp mold Shape that is hard to fall and break

Energy-saving Mode

Controlling the fuser heater is a standard for Kyocera printers. Equipped with Energy-saving mode, Sleep mode, and auto off mode. By using each mode, both a comfortable output environment and energy-saving can be achieved.



Specification of ECOSYS MA4000cifx Series

Main Specifications					
Model		**ECOSYS MA3500cix**	**ECOSYS MA3500cifx**	**ECOSYS MA4000cix**	**ECOSYS MA4000cifx**
Main Function		Copy, Print, Scan, Fax*			
Print Speed (A4)(Color)		35 ppm		40 ppm	
Panel Type		7 Inch Touch Screen Panel			
CPU		ARM Cortex-A9 Dual core 1.2GHz + ARM Cortex-M3 100MHz			
Memory		Standard: 1,536 MB Max.: 3,072 MB		Standard: 2,048 MB Max.: 3,072 MB	
DP Type		100 Sheets one-path duplex scan type			
Dimension (WxDxH)		480mm × 577.5mm × 575mm			
Weight (including toner container)		39kg			
Warm-Up Time		26 sec.			
Paper Capacity	Standard	250 Sheets (Casette) + 100 Sheets (MPT)			
	Maximum	2,000 sheets (Main Unit + 550 sheets PF-5150 x3 + MPT)			
Paper Size	Cassette	Max.: Folio (Legal) - Mini.: A6R (StatementR), 356[mm] x216[mm] - 140[mm] x 105[mm]			
	Option	Max.: Folio (Legal) - Mini.: A5R			
	MPT	Max.: Folio (Legal) - Mini.: A6R (StatementR), 356[mm] x216[mm] - 140[mm] x 70[mm] Banner Paper(1220 mm long and 216 mm wide, Simplex)			
Paper Weight	Cassette	60 - 220 g/m2			
	Option	60 - 220 g/m2			
	MPT	60 - 220 g/m2			
Duplex Printing		A4(Legal) - A6R(StatementE), 60 - 163 g/m2			
Output Capacity		Max. 250 Sheets face-down			
Power Consumption (Standard configuration)	Copy/Print Mode	479.1W / 449.1W		575.0W/573.6W	
	Stand-by Mode	18.8W			
	Energy Saver	0.5W			
Noise (ISO7779/ ISO9296)	Operating	51dB(A)		53dB(A)	
	Stand-by	30dB(A)			
		Copy Functions (Standard)			
Copy Resolution		600x600 dpi			
First Copy Time (Mono/Color)		6.1 sec / 7.2 sec		5.8 sec / 6.9 sec	
Multiple Copy		1 - 999			
		Print Functions (Standard)			
PDL		PCL6 (PCL XL / PCL 5c), KPDL3, XPS / OpenXPS, PDF			
First Print Time (Mono/Color)		5.7 sec / 7.0 sec		5.4 sec / 6.6 sec	
Print Resolution		1200x1200 dpi			
Encryption Communications		IPsec, HTTPS, LDAP over SSL, SNMPv3, LDAP over SSL, FTP over SSL			
Interface		USB 2.0 (Hi-Speed), 2 x USB Host Interface, Gigabit Ethernet (10BASE-T/100BASE-TX/ 1000BASE-T), optional Wireless LAN (IEEE 802.11a/b/g/n/ac), 1 x eKUIO slot for optional devices other than FAX, Slot for optional SD Card			
AirPrint		Yes			
Mopria		Yes			
		Fax & Scan Functions*			
Scan Speed (Mono / Color) A4 300dpi Simplex		60/40 ipm		60/50 ipm	
Scan Speed (Mono / Color) A4 300dpi Duplex		100/80 ipm		120/100 ipm	
Resolution		300dpi×300dpi, 200dpi×200dpi (Default), 200dpi×100dpi ; 600dpi×600dpi, 400dpi×400dpi, 200dpi×400dpi ; 1200dpi×1200dpi (TWAIN driver, WIA driver)			
File Format		TIFF (MMR/JPEG compression), JPEG, PDF (MMR/JPEG compression), XPS, PDF/A-1,PDF/A-2, PDF (High compression), Encrypted PDF, OPEN XPS, MS Office file (Option), Searchable PDF (Option)			
Transmission Type		Scan to PC, Scan to FTP/ FTP over SSL, Scan to E-mail, Scan to USB, TWAIN Scan, WIA Scan			
Number of continuously scanned pages (With DP installed)		Standard: 670 sheets (Color), 998 sheets (Monochrome) Maximum: 998 sheets (when optional memory is installed).			
Image Type Mode		Text, Photo, Text + Photo, Light Text/Fine Line, OCR			
Address Storage		200 addresses (Common address list), 50 groups (Group address list)			
		Consumables & Options			
Toner Yield (Start-up) (Mono/Color) *ECOSYS Model: ISO19798 original		3.5K / 2.5K		6K / 5K	
Toner Yield (Normal) (Mono/Color) *ECOSYS Model: ISO19798 original		7K / 5K (TK-5375 K/Y/M/C)		13K / 10K (TK-5385 K/Y/M/C)	
Drum Life		200,000 pages			
Maintenance Kit		MK-5370 (200,000 pages); DP: MK-5200 (200,000 pages) MK-5420 (300,000 image) Main unit cassette paper feed roller unit; MK-5425 (300,000 image) PF cassette paper feed roller unit			
Paper Feeder		PF-5150: 550 sheets			
Card Authentication		Card Authentication Kit(B)			
Gigabit Ethernet Board		IB-53			
Wireless LAN Interface		IB-37 (IEEE 802.11a/b/g/n/ac) Wireless LAN/WiFi Direct)			
Storage Device		HD-17 SSD (64GB); HD-18 SSD (256GB)			
Embedded OCR		SCAN EXTENSION KIT(A) AC			
IC Card Reader Holder		Card Reader Holder 12			

* Fax function available exclusively for ECOSYS MA3500cifx and ECOSYS MA4000cifx models.
Scan function available for four models.

Specification of TASKalfa MA4500ci Series

Main Specifications			
Model		**TASKalfa MA3500ci**	**TASKalfa MA4500ci**
Main Function		Copy, Print, Scan, Fax	
Print Speed (A4)(Color)		35 ppm	45 ppm
Panel Type		7 Inch Touch Screen Panel	
CPU		ARM Cortex-A9 Dual core 1.2GHz + ARM Cortex-M3 100MHz	
Memory		Standard: 2,048 MB Max.: 3,072 MB	
DP Type		100 Sheets one-path duplex scan type	
Dimension (WxDxH)		480mm × 577.5mm × 575mm	480mm × 577.5mm × 602mm
Weight (including toner container)		39kg	40kg
Warm-Up Time		26 sec.	
Paper Capacity	Standard	250 Sheets (Casette) + 100 Sheets (MPT)	550 Sheets (Casette) + 100 Sheets (MPT)
	Maximum	2,000 sheets (Main Unit + 550 sheets PF-5150 x3 + MPT)	2,850 sheets (Main Unit + 550 sheets PF-5150 x4 + MPT)
Paper Size	Cassette	Max.: Folio (Legal) - Mini.: A6R (StatementR), 356[mm] x216[mm] - 140[mm] x 105[mm]	
	Option	Max.: Folio (Legal) - Mini.: A5R	
	MPT	Max.: Folio (Legal) - Mini.: A6R (StatementR), 356[mm] x216[mm] - 140[mm] x 70[mm] Banner Paper(1220 mm long and 216 mm wide, Simplex)	
Paper Weight	Cassette	60 - 220 g/m2	
	Option	60 - 220 g/m2	
	MPT	60 - 220 g/m2	
Duplex Printing		A4(Legal) - A6R(StatementE), 60 - 163 g/m2	
Output Capacity		Max. 250 Sheets face-down	
Power Consumption (Standard configuration)	Copy/Print Mode	479.1W / 449.1W	610.1W / 604.1W
	Stand-by Mode	18.8W	
	Energy Saver	0.5W	
Noise (ISO7779/ ISO9296)	Operating	51dB(A)	54dB(A)
	Stand-by	30dB(A)	
		Copy Functions (Standard)	
Copy Resolution		600x600 dpi	
First Copy Time (Mono/Color)		6.1 sec / 7.2 sec	5.7 sec / 6.7 sec
Multiple Copy		1 - 999	
		Print Functions (Standard)	
PDL		PCL6 (PCL XL / PCL 5c), KPDL3, XPS / OpenXPS, PDF	
First Print Time (Mono/Color)		5.7 sec / 7.0 sec	5.1 sec / 6.2 sec
Print Resolution		1200x1200 dpi	
Encryption Communications		IPsec, HTTPS, LDAP over SSL, SNMPv3, LDAP over SSL, FTP over SSL	
Interface		USB 2.0 (Hi-Speed), 2 x USB Host Interface, Gigabit Ethernet (10BASE-T/100BASE-TX/ 1000BASE-T), optional Wireless LAN (IEEE 802.11a/b/g/n/ac), 1 x eKUIO slot for optional devices other than FAX, Slot for optional SD Card	
AirPrint		Yes	
Mopria		Yes	
		Fax & Scan Functions (Standard)	
Scan Speed (Mono / Color) A4 300dpi Simplex		60/40 ipm	60/50 ipm
Scan Speed (Mono / Color) A4 300dpi Duplex		100/80 ipm	120/100 ipm
Resolution		300dpi×300dpi, 200dpi×200dpi (Default), 200dpi×100dpi ; 600dpi×600dpi, 400dpi×400dpi, 200dpi×400dpi ; 1200dpi×1200dpi (TWAIN driver, WIA driver)	
File Format		TIFF (MMR/JPEG compression), JPEG, PDF (MMR/JPEG compression), XPS, PDF/A-1,PDF/A-2, PDF (High compression), Encrypted PDF, OPEN XPS, MS Office file (Option), Searchable PDF (Option)	
Transmission Type		Scan to PC, Scan to FTP/ FTP over SSL, Scan to E-mail, Scan to USB, TWAIN Scan, WIA Scan	
Number of continuously scanned pages (With DP installed)		Standard: 670 sheets (Color), 998 sheets (Monochrome) Maximum: 998 sheets (when optional memory is installed).	
Image Type Mode		Text, Photo, Text + Photo, Light Text/Fine Line, OCR	
Address Storage		200 addresses (Common address list), 50 groups (Group address list)	
		Consumables & Options	
Toner Yield (Start-up) (Mono/Color) TASKalfa model: Color 5% original		6K / 5K	8K / 6K
Toner Yield (Normal) (Mono/Color) TASKalfa model: Color 5% original		17K / 10K (TK-5400 K/Y/M/C)	20K / 13K (TK-5410 K/Y/M/C)
Drum Life		200,000 pages	300,000 pages
Maintenance Kit		MK-5370 (200,000 pages); DP: MK-5200 (200,000 pages) MK-5420 (300,000 image) Main unit cassette paper feed roller unit MK-5425 (300,000 image) PF cassette paper feed roller unit	MK-5410 (300,000 pages); DP: MK-5200 (200,000 pages) MK-5420 (300,000 image) Main unit cassette paper feed roller unit MK-5425 (300,000 image) PF cassette paper feed roller unit
Paper Feeder		PF-5150: 550 sheets	
Card Authentication		Card Authentication Kit(B)	
Gigabit Ethernet Board		IB-53	
Wireless LAN Interface		IB-37 (IEEE 802.11a/b/g/n/ac) Wireless LAN/WiFi Direct)	
Storage Device		HD-17 SSD (64GB); HD-18 SSD (256GB)	
Embedded OCR		SCAN EXTENSION KIT(A) AC	
IC Card Reader Holder		Card Reader Holder 12	

Kyocera Document Solutions has championed innovative technology since 1934. We enable our customers to turn information into knowledge, excel at learning and surpass others. With professional expertise and a culture of empathetic partnership, we help organizations put knowledge to work to drive change.

KYOCERA Document Solutions India Private Limited

First Floor, Block - A, First India Place, Sushant Lok Phase-1,
M. G. Road, Gurugram - 122002 (Haryana), India
Tel: +91-124-4671000 / Fax: +91-124-4671001

Your Kyocera Business Partner

www.kyoceradocumentsolutions.com/in

KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.
© 2023 KYOCERA Document Solutions Asia Limited.